

Republic of the Philippines Department of Science and Technology INDUSTRIAL TECHNOLOGY DEVELOPMENT INSTITUTE

DOST Compound, General Santos Ave., Bicutan, Taguig City Tel. Nos.: (02) 868 37750 to 69 www.itdi.dost.gov.ph



PROJECT:

Supply, Delivery, Installation and Commissioning

of Various Equipment

LOCATION:

DOST Compound, Gen. Santos Ave., Bicutan,

Taguig City

OWNER:

Industrial Technology Development Institute (ITDI)

SUBJECT:

SUPPLEMENTAL/BID BULLETIN NO. 1

Date:

July 8, 2024

This Bid Bulletin No. 1 is being issued to Bidders for their information and guidance in the preparation of their bids and shall be taken into consideration in their proposal. This bid bulletin will form part of the contract for this project.

1. Governing Rules:

Bidding and contract award for the above project shall be governed by the Revised Implementing Rules and Regulations of RA 9184 and the Philippine Bidding Documents (PBD), Fifth Edition, October 2016. Any discrepancy between the General Conditions and RA 9184, R.A 9184 shall prevail.

2. Marking and Sealing of Bids

- a. Contents of sealed envelope marked "ORIGINAL BID"
 Sealed Envelope 1 marked "Original Eligibility & Technical Proposal"
 Sealed Envelope 2 marked "Original Financial Proposal"
- b. Contents of sealed envelope marked "COPY NO. 1"
 Sealed Envelope 1 marked "Copy No. 1 Eligibility & Technical Proposal"
 Sealed Envelope 2 marked "Copy No. 1 Financial Proposal
- c. Contents of sealed envelope marked "COPY NO. 2"
 Sealed Envelope 1 marked "Copy No. 2 Eligibility & Technical Proposal"
 Sealed Envelope 2 marked "Copy No. 2 Financial Proposal
- d. The sealed outer envelopes marked "ORIGINAL BID", "COPY NO. 1" and "COPY NO. 2" shall be enclosed in one single envelope/package.





Inspired by Technology, Driven by Innovation









Republic of the Philippines Department of Science and Technology INDUSTRIAL TECHNOLOGY DEVELOPMENT INSTITUTE

DOST Compound, General Santos Ave., Bicutan, Taguig City Tel. Nos.: (02) 868 37750 to 69

www.itdi.dost.gov.ph



e. All envelopes shall contain the following:

PROJECT: (NAME OF THE PROJECT)

(NAME AND ADDRESS OF BIDDER IN CAPITAL LETTER)

TO: THE INDUSTRIAL TECHNOLOGY DEVELOPMENT INSTITUTE (ITDI)

DR. JANET F. QUIZON ITDI-BAC CHAIRPERSON Metrology Building, DOST Compound Bicutan, Taguig City

DO NOT OPEN BEFORE: Scheduled date & time of opening of bids

3. Items to be considered in the preparation of Bid

- A. Bid Proposal shall be in Philippine currency.
- B. The bid shall be signed on each and every page by the duly authorized signatory of the bidder. Items with erasures on the bid should bear the initials of the authorized signatory.
- C. Bidders shall submit a Bid Securing Declaration or at least one (1) other Bid Security, the amount of which shall not be less than the percentage of the ABC in accordance with the following schedule:

Forms of bid Security	Amount of Bid Security (Not less than to Percentage of the ABC)
 a) Cash or Cashier's/manager's check issued by a Universal or Commercial Bank 	Two percent (2%)
b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank	
 c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security 	Tive percent (675)















Republic of the Philippines Department of Science and Technology

INDUSTRIAL TECHNOLOGY DEVELOPMENT INSTITUTE DOST Compound, General Santos Ave., Bicutan, Taguig City

DOST Compound, General Santos Ave., Bicutan, Taguig City Tel. Nos.: (02) 868 37750 to 69 www.itdi.dost.gov.ph



- D. Bid bonds should be posted in favor of Industrial Technology Development Institute. If other than GSIS, the bid bond should be accompanied with certificate of accreditation from the Insurance Commission. Bid bonds should be submitted with original receipts of payments. Bid security shall be Callable on Demand with a validity period of 120 calendar days.
- E. To guarantee the faithful performance by the winning bidder of its obligations under the contract, it shall post performance security taken from the categories below the amount of which shall be not be less than the percentage of the total contract price in accordance with the following schedule:

Forms of Performance Security	Amount of Performance Security Not less than the Percentage of the Total Contract Price)
 a) Cash or Cashier's/manager's check issued by a Universal or Commercial Bank b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank 	Goods and Consulting Services - Five Percent (5%)
 c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security 	Thirty percent (30%)

- 4. Submission of Bids July 16, 2024, 8:30 A.M. 9:00 A.M.
 - Luminometer
 - UV Weathering Test Chamber
 - Xenon Arc Test Chamber

Late bids shall not be accepted













Republic of the Philippines Department of Science and Technology INDUSTRIAL TECHNOLOGY DEVELOPMENT INSTITUTE

www.itdi.dost.gov.ph

DOST Compound, General Santos Ave., Bicutan, Taguig City
Tel. Nos.: (02) 868 37750 to 69

BAGONG PILIPINAS

- 5. Opening of Bids July 16, 2024, 9:01 A.M.
- 6. Eligibility & Technical Specification:
- > Supply, Delivery, Installation and Commissioning of One (1) unit Luminometer
 - Consumables for the training must be provided by the supplier
 - Warranty: 1 year warranty for parts and service
 - Preventive maintenance for 2 years
 - Sensitivity: ≤10 bacterial cells
- > Supply, Delivery, Installation and Commissioning of One (1) unit UV Weathering Test Chamber
 - Temperature range: Ambient~90°C
- > Supply, Delivery, Installation and Commissioning of One (1) unit) Xenon Arc Test Chamber
 - Internal dimensions: D: 500-1000 mm W: 600-950 mm H: 500-950 mm
 - Overall dimensions: D: 750-1300 mm W: 900-1420 mm H: 1700-2150 mm
 - Maximum allowable deviation of relative humidity: ±5%
 - Maximum allowable deviation of chamber and black panel temperature: ±2°C

*Only those technical specifications indicated herein will be changed, those that are not mentioned will be retained as indicated in Section VII of the Bidding Documents.

Issued by:

DR. JANET F. QUIZON ITDI-BAC Chairperson







