



INVITATION TO BID FOR LABORATORY EQUIPMENT

1. The Industrial Technology Development Institute, through “Capacity Building for Failure Analysis of Semiconductor Samples (DOST-GIA)” intends to apply the amount of **Fifty Million Pesos (Php 50,000,000.00)** only being the Approved Budget for the Contract (ABC) to payment for the “**Supply, Delivery, Installation and Commissioning of One (1) lot Field Emission Scanning Electronic Microscope with EDX and EBSD detector analyzer**”.
2. The Industrial Technology Development Institute (ITDI) now invites bids for the above-mentioned equipment. Delivery of the Goods is required within **One Hundred (120) Calendar Days**. Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instruction to Bidders.
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “pass/fail” criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the “Government Procurement Reform Act”.
 - (i) Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
4. Interested bidders may obtain further information and inspect the Bidding Documents at the **ITDI BAC Secretariat, Second Floor Metrology Bldg. starting August 5, 2024 from 8:00AM – 4:00PM.**
5. A complete set of Bidding Documents may be acquired by interested Bidders from **August 5, 2024 until August 27, 2024** at the ITDI BAC Office, Second Floor Metrology Bldg. upon payment of the applicable fee for Bidding Documents amounting to **Twenty-Five Thousand Pesos (P 25,000.00)**, pursuant to the latest Guidelines issued by the GPPB.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS), provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.
6. The ITDI-BAC will hold a **Pre-Bid Conference on August 13, 2024, 9:00 A.M.** at the **Metrology Conference Room, 2nd Floor, ITDI Metrology Building, DOST Compound Bicutan Taguig City.**
7. Bids must be duly received by ITDI-BAC Secretariat at the **Metrology Conference Room, 2nd Floor, ITDI Metrology Building, DOST Compound Bicutan Taguig City on August 27, 2024 between 8:30 A.M. – 9:00 A.M.** All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18.

Inspired by Technology, Driven by Innovation

Membership:

ASEAN Consultative Committee for Standards & Quality – Rubber-Based Product Working Group | ASEAN Rubber Testing Laboratory Committee | Asia Nano Forum (ANF) | Asia-Pacific Food Analysis Network (APFAN) | Asia Packaging Network (APN) | Asia-Pacific Legal Metrology Forum (APLMF) | Asia Pacific Metrology Programme (APMP) | General Conference on Weights and Measures (CGPM) | International Organization of Legal Metrology (OIML) | ASEAN Consultative Committee for Standards and Quality - Working Group on Legal Metrology (ACC5Q-WG3) | ISTA Global and Asia Pacific | International Association of Packaging Research Institutes (IAPRI) | Association of Official Analytical Collaboration (AOAC) Southeast Asia Section




Management System
ISO 9001:2015
www.tuv.com
ID: 910502715





8. Bid opening shall be on **August 27, 2024** and will start at **9:01 A.M.** at the **Metrology Conference Room, 2nd Floor, ITDI Metrology Building, DOST Compound Bicutan Taguig City**. Bids will be opened in the presence of the bidders' representatives who choose to attend. Late bids shall not be accepted.
9. All bidders are requested to observe the following during the pre-bid and opening of bids:
 - a. Only one (1) representative from each company shall be allowed to participate in the bidding;
 - b. Pre-bid and opening of bids will be done per project. Only representative participating in that project will be allowed to enter the conference room;
 - c. Bidders will be given a designated waiting area;
 - d. Maximum of ten (10) persons will be allowed to stay inside the conference room;
 - e. Representatives shall be required to wear face mask and observed the minimum safety protocols at all times;
 - f. Social/Physical distancing maintaining at least one (1) meter apart.
10. The **Industrial Technology Development Institute (ITDI)** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:


DR. JANET F. QUIZON
ITDI BAC Chairperson
Industrial Technology Development Institute
Telefax .No. 8683-77-50 to 69 local 2135
E-mail add.: admbac@itdi.dost.gov.ph

Approved for posting by:


ANNABELLE V. BRIONES, Ph.D
Director

Membership:

Inspired by Technology, Driven by Innovation

ASEAN Consultative Committee for Standards & Quality – Rubber-Based Product Working Group | ASEAN Rubber Testing Laboratory Committee | Asia Nano Forum (ANF) | Asia-Pacific Food Analysis Network (APFAN) | Asia Packaging Network (APN) | Asia-Pacific Legal Metrology Forum (APLMF) | Asia Pacific Metrology Programme (APMP) | General Conference on Weights and Measures (CGPM) | International Organization of Legal Metrology (OIML) | ASEAN Consultative Committee for Standards and Quality - Working Group on Legal Metrology (ACCSQ-WG3) | ISTA Global and Asia Pacific | International Association of Packaging Research Institutes (IAPRI) | Association of Official Analytical Collaboration (AOAC) Southeast Asia Section

