

Republic of the Philippines  
 Department of Science and Technology  
**INDUSTRIAL TECHNOLOGY DEVELOPMENT INSTITUTE**  
 DOST Compound, General Santos Ave., Bicutan, Taguig City  
 Tel. Nos.: 8837-2071 to 82 (DOST Trunklines)  
 Telefax No.: 8837-3167 / 8837-6150  
 www.itdi.dost.gov.ph



Management System  
 ISO 9001:2015  
 www.tuv.com  
 ID 9108635715



## NOTICE TO PROCEED

**MS. CHIRADEE A. REGONDOLA**  
 Authorized Representative  
**FIA MEDICAL SUPPLY INC.**  
 B19 L16 Road 5A Area 6 United Paranaque Subd.  
 San Isidro, Paranaque City




Dear Ms. Regondola:


Notice is hereby given to **FIA MEDICAL SUPPLY INC.** that work may commence on the **Supply, Delivery, Installation and Commissioning of Two (2) lot Biosafety Cabinet Level 2 System** with a Contract Price of **One Million Ninety-Six Thousand Pesos (Php 1,096,000.00)** only.

Upon receipt of this notice, you are responsible for performing the services under the terms and conditions of the Agreement and in accordance with the Implementation Schedule.

Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below. Keep one copy and return the other to the Industrial Technology Development Institute.

Very truly yours,

  
**ANNABELLE V. BRIONES, Ph.D.**  
 Director  

I acknowledge receipt of this Notice on 06-18-24  
 Name of the Representative of the Bidder: CHIRADEE A. REGONDOLA  
 Authorized Signature: 

*Inspired by Technology, Driven by Innovation*

Membership:



ASEAN Consultative Committee for Standards & Quality - Rubber-Based Product Working Group | ASEAN Rubber Testing Laboratory Committee | Asia Nano Forum (ANF) | Asia-Pacific Food Analysis Network (APFAN) | Asia Packaging Network (APN) | Asia Pacific Legal Metrology Forum (APLMF) | Asia Pacific Metrology Programme (APMP) | General Conference on Weights and Measures (CGPM) | ISTA Global and Asia Pacific | International Association of Packaging Research Institutes (IAPRI)