PURCHASE ORDER INDUSTRIAL TECHNOLOGY DEVELOPMENT INSTITUTE

22 092TF

GIAE-PO-2022-03-0080 P.O. No. : INSTRUMIX SUPPLIER, INC. Supplier: March 07, 2022 Unit 433/4 34 Cityland Pasong Tamo, Tower2210, Don Chino Roces Avenue, Date: Makati City, 1230, Philippines Address: Mode of Procurement: PB TIN: Gentlemen: Please furnish this Office the following articles subject to the terms and conditions contained herein: Delivery Term: 90 to 120 CD Place of Delivery: Metrology Building Payment Term: Date of Delivery: Stock/ **Amount Unit Cost** Quantity Description **Property** Unit Installation + Comisson No. 1,490,000.00 1,490,000.00 SHIMADZU FOURIER TRANSFORM INFRARED SPECTROPHOTOMETER 1 unit MODEL: IR tracer-100 **FEATURES:** * Uses High Sensitivity DLATGS detector for high-sensitivity measurements; with highest signal to noise (S/N) Ratio of 60,000:1 *Performs high resolution and high-speed analysis *With highly stable Interferometer achieved with dynamic alignment *With interferometer in air tight structure, equipped with internal auto-dryer *With self-diagnose functions for easy instrument management *Measurement interface with a very high mechanical and chemical robustness *Highly insensitive of vibrations *Easily operated and easy cleaning *Can perform analysis without sample preparation for solid and liquid samples SPECIFICATIONS: Interferometer Michelson interferometer (30° incident angle) Equipped with Advanced Dynamic Alignment system Sealed interferometer with Automatic Dehumidifier Optical system: Single-beam optics Beam splitter: Germanium-coated KBr for Middle IR Light source: High-energy ceramic light source with 3 years guaranteed Detector: DLATGS detector with temperature control for Middle/Far IR Wavenumber range: 7,800 to 350 cm-1 Resolution: 0.25, 0.5, 1, 2, 4, 8, 16cm-1 (Middle/Far IR) Wavenumber accuracy: 0.01cm-1 S/N ratio: 60,000:1 (Standard; 4cm-1 resolution, 1 min. scan, around 2,200cm-1, peak-to-peak) Mirror speed: 4-step selection of 2.0, 2.8, 5, or 9mm/sec Data sampling: He-Ne laser with 30 months guaranteed Sample compartment: Equipped with automatic accessory recognition Mechanism 200(W) × 230(D) × 170(H) mm Center focus **Dimensions**: 600(W) × 665(D) × 295(H) mm Weight: 47kg Labsolutions IR Software Features: *High Performance Software and very easy to operate igh Level security and user administration functions efficient managerial procedures for ER/ES regulations such as FDA 21 CFR part 11, PIC/S and

PURCHASE ORDER INDUSTRIAL TECHNOLOGY DEVELOPMENT INSTITUTE

21, 892 TF

Supplier :	INSTRU	JMIX SUPPLIER, INC.	In a vi		L. U-101 11
	Unit 43	3/4 34 Cityland Pasong Tamo, Tower2210, Don China Roces Avenue	P.O. No. :	GIAE-PO-20	22-03-0080
ddress :	Makati	Makati City, 1230, Philippines Date: March 07, 2022			7, 2022
N:			1		
ientlemer	n:		Mode of Procurement: PB		
		urnish this Office the following articles subject to the terms and co			
			nditions contained her	ein:	
lace of De	livery :	Metrology Building	Delivery Term : 00 to	120 CD	
ate of Del				120 CD	
roperty	Unit	Dear i et			
No.		Description	Quantity	Unit Cost	Amount
		*Extensive Spectra Library and high performance search functions			
		* Features a library containing approximately 12,000 spectra.			
		*With Analysis support programs (Contaminant and Pharma Report)		1	
		*Complies with European and Japanese Pharmacopoeias and ASTM for validation programs			
		Accessories Included:	1		
		-Attenuated Total Reflection (ATR) accessory designed for laboratory spectroscopic sample analysis in the mid- and far Infrared			
		-Desktop Computer (with 1 TB hard disk, i5 processor, 4 GB RAM and 21.5' monitor) -UPS			
		-Printer (continuous ink supply system)			
	- 1	Country of Origin: Manufactured at Japan Shipment from Singapore Equipment Warranty: Warranty period of 12 months on parts and services			
		Availability of spare parts: Certificate of Availability of parts TEN (10) years after commissioning Installation and Commissioning: Free-of-charge by Factory Trained			
		Engineer Includes installation and commissioning	1		
	ľ	Local support service available for calibration, repair and maintenance On-site Training: Includes local training on operation, data analysis, maintenance and			
	Įt	roubleshooting of Equipment by Application Chemist			
		must			1,490,000.0
USER:		RONDEDS P. PARRONO, OR.	Less: VAT EWT	66,517.86	
		<u> </u>	5441	13,303.57	79,821.43 1,410,178.57
Amount in W	/ords)	one million, four hundred ten thousand, one hundred seventy eight and s			±,-140,176.37

mad

Appendix 61

PURCHASE ORDER

INDUSTRIAL TECHNOLOGY DEVELOPMENT INSTITUTE

02, 0927

Supplier :	INSTRUMIX SUPPLIER, INC.	P.O. No. :	GIAE-PO-2022-03-0080	
Address :	Unit 433/4 34 Cityland Pasong Tamo, Tower2210, Don Chino Roces Avenue, Makati City, 1230, Philippines	Date :	March 07, 2022	
TIN:		Mode of Procurement : PB		
imposed o	of failure to make the full delivery within the time specified above, a pena n the undelivered item/s.	ty of one-tenth (1/10) of one percent	for every day of delay shall be	
Con	nforme:	Very truly yours,	×	
	Renzel Leon dias	ANNABELLE V. BRIONES, PhD		
	Signature over Frinted Name of Supplier March 24,2000	Signature over Printed Name of Authorized Official		
	MarchDate		ector gnation	
Fund Clust	er:	ORS/BURS No. : 17-10 - 2022030 313		
Funds Available :		Date of the ORS/BURS:		
	PATRICIA ASHLEY M. MENDE	Amount : # 1, 490,000		
	Signature over Printed Name Division/Unit			