	A1671 15		ECHNOLOGY DEVELOPMENT	O No.	CIAC DO S	2024-01-0002 (520)	
oppfixer :		AULAB ASIA CORP.		.O. No.	GIAE-PO-2024-01-0002 (EBD)		
Sdress :	Unit SS 1	05 DSL Bldg., #380 Delmonte Ave. Quezon City	P8	January 10, 2024			
entherwise	Please fun	ish this Office the following articles subject to the terms and conditions	contained herein.		,		
ace of Deliver	ry:	NATIONAL METROLOGY DIVISION		elivery Term : 120 CD syment Term :	-		
Stock/ roperty No.	Unit	Particulars		Quantity	Unit Cost	Amount	
	Featu Main Micro Moto CFC-f Stano Auto prote Activ Quicl Audii Stain Noise Manu Cont Easy	tenance free induction drive oprocessor with LCD display and display and display and display and displication described in the second still cooling matic radio-frequency rotor identification.	agnostic program se ication system (RF ultiple melodies	ID) with ove		923,107.3	
		anent indication of set and actual val					
		election of the running time from 10					
		ge of up to 99 runs/programs including					
	Quic	k-key for short runs					
	Pre-c	ooling program					

			Purchase Order INCUSTRIAL TECHNOLOGY DEVELOPMEN	TINSTITUTE			
politor:	NOVE	AULAB ASIA CO	RP.	P.O. No. 1	GIAE-PO-2024-01-0002 (EBD		
lres.	Unit 55 105 DSL Bldg., #380 Delmonte Ave. Quezon City			Oute:	January 10, 2024		
				Mode of Procurement : PS			
denven.	Herse for	noish this Office the followin	g articles subject to the terms and conditions contained herelo:				
-(0-5-		NATIONAL METROLOG	Y DIVISION	Delivery Term : 30 CD			
of Delive				Payment Term :			
ock/ orby No.	Unit		Particulars	Quantity	Unit Cost	Amourt	
	Temperature range: Control type: Driplay Speed Display Swinging bucket richo Fred-angle rotes Dimensions (Warks) Capacity iplaces a im Fixed angle rotor. Adapters: Materials: Safety feature: Noise level: Certifications: Dimension: Weight Electrical: Timed run: Hold run: Swinging bucket rotor: Acc/Deceleration:		-20°C to 40°C in 1°C increments Microprocessor or better LED Actual rator speed in 10 rpm increments or actual Compatible to 5 ml, 15 ml, 50 ml, and separate ro Compatible to 15 or 2 ml 40 x 30 x 70 cm 10 rpm increments or actual Compatible to 15 or 2 ml 40 x 30 x 70 cm 10 rpm increments or actual 20 x 5 ml conical tube 705 105 12 x 15 ml conical tube 705 110 20 x 5 ml conical tube 705 110 20 x 15 or 2 ml port tube 2 20 x 7 v 22 with 704 004 Acceleration with 10 levels of acceleration profile (depending on rotors) Deceleration with 10 levels of acceleration profile (depending on rotors) and no sudden breking 1 adapter for 5 ml conical tubes included 2 stalless steels (corrosion resistant), Aluminum or b Auto-locking system 4 ml ml w k x x 3 ml	tor for 96 well rotor I adapter a, including maximum r ss, including maximum	rpm tance sting option d		
	425t -(25t -(10t) and it -(1)pt Refri	oct) 5 om Sterie Co. Sot) 5 mt. Sterie Co. Sot) 9 mt. Sterie Co. Warranty: Two (2) year with Two (2) year with Two (2) yiear with T	onical Tube, polypropylere, RNase, DNase-free mical Tube, polypropylere, RNase, ONase-free mical Tube, polypropylere, RNase, ONase-free mical Tube, polypropylere, RNase, DNase-free mical Tube, polypropylere, certification, and the polypropylere, certification, and the polypropylere, certification, and tear. I against manufacturing defects, excluding consumables and any and tear. I against manufacturing defects, excluding consumables and any and tear. I against manufacturing defects, excluding consumables and any and tear. I against manufacturing defects, excluding consumables and any and tear. If a property of the consumables are a property of the calibration by period.	Lest: VAT EWT	41,230.14 8,242.07 TOTAL	923,107.35 49.452.46 8 873,655.19	
	dorme-	Benedic	Pille C. Corvera ver Printed Name of Supplies vary 23, 2021	Very truly yours, DR. A	NNABELLE V. BRIONES Prested Name of Authorised O Director Designations		
Cluster	TORY OF HUN		RISK GROUP LEVEL 2 INFECTIONS IN SELECTED TERTIARY HOSPITALS IN	ORS/BURS No. : TF CO LOT	400to	•	

1/18/2019

1